

50220110

Flat mounting busbar support SB 3 32-40mm 690VAC



With SOCOMEC's insulating bar supports you can:

- mount and attach the busbars inside the electrical panel,
- cope with the forces experienced by the busbars during a short circuit.

Strong points

- Insulating materials
- Durability
- Adaptability

General characteristics

- High dielectric strength.
- High mechanical resistance.
- Non-magnetism of assembly parts.
- High resistance to damp heat (supplied "tropicalised").

Compliance with standards

- IEC 61439-1
- IEC 60865-1

Link to the reference



<https://emea.socomec.com/en/reference/50220110>

Classification

UNSPSC	39121321
ETIM Class	EC001166
IGCC	4462

Commerce

Effective date	1988-04-15
Offer Life Cycle Code	40
Country of origin	FR

ETIM - Electrical characteristics

Number of poles	1
Max. rated current [A]	500

Logistics

GTIN/EAN	3596031235186
Customs number	8546901000
Price unit	PC
Weight of the packing unit [kg]	0.501
Length of the packing unit [m]	0.12
Width of the packing unit [m]	0.03
Depth of the packing unit [m]	0.09

Norms

Conformity to standards	IEC
-------------------------	-----

Technical Characteristics

Number of poles	1
Rated voltage	690 VAC
Section	32..40x5