


# Product datasheet

Specifications



## PC box IP66 IK08 RAL7035 Int.H175W150D100 Ext.H193W164D105 opaque PC cover H40

Local distributor code:  
387531768

NSYTBP191610H

EAN Code: 3606480165672

### Main

Range	PanelSeT
Product name	PanelSeT TBP
Device application	Multi-purpose
Category	Industrial box
Height	192 mm
Width	164 mm
Depth	105 mm
Internal height	175 mm
Internal width	150 mm
Internal depth	100 mm
Enclosure mounting	Wall mounted
Device composition	1 body 1 cover 4 cover screw
Body type	One piece moulded
Type of front cover	High plain cover
Cover fixing	Plastic screws
Lock type	Captive screw flat outside sealed area
Removable parts	Cover by captive screws

### Complementary

Material	Polycarbonate
Colour	Grey (RAL 7035)
Standards	UL 508 A IEC 62208
Product certifications	TÜV UL
Electrical insulation class	Class II
Mounting location	Outdoor (with canopy or shelter and anticondensation valve)
Net weight	0.62 kg

### Environment

IP degree of protection	IP66 conforming to NEMA 4.4X
-------------------------	------------------------------

<b>IK degree of protection</b>	IK08 conforming to IEC 62262
<b>Fire resistance</b>	960 °C
<b>Ambient air temperature for storage</b>	-15...60 °C
<b>Operating temperature</b>	-25...80 °C

## Packing Units

<b>Unit Type of Package 1</b>	PCE
<b>Number of Units in Package 1</b>	1
<b>Package 1 Height</b>	12.000 cm
<b>Package 1 Width</b>	17.000 cm
<b>Package 1 Length</b>	20.500 cm
<b>Package 1 Weight</b>	597.000 g
<b>Unit Type of Package 2</b>	CAR
<b>Number of Units in Package 2</b>	17
<b>Package 2 Height</b>	40.000 cm
<b>Package 2 Width</b>	41.000 cm
<b>Package 2 Length</b>	61.000 cm
<b>Package 2 Weight</b>	10.149 kg
<b>Unit Type of Package 3</b>	P12
<b>Number of Units in Package 3</b>	204
<b>Package 3 Height</b>	134.500 cm
<b>Package 3 Width</b>	80.000 cm
<b>Package 3 Length</b>	120.000 cm
<b>Package 3 Weight</b>	133.000 kg

## Logistical informations

<b>Country of origin</b>	HU
--------------------------	----

## Contractual warranty

<b>Warranty</b>	18 months
-----------------	-----------

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Environmental footprint

Total lifecycle Carbon footprint 5

Environmental Disclosure [Product Environmental Profile](#)

## Use Better

### Materials and Substances

Packaging made with recycled cardboard No

Packaging without single use plastic No

[EU RoHS Directive](#) Pro-active compliance (Product out of EU RoHS legal scope)

REACH Regulation [REACH Declaration](#)

## Use Again

### Repack and remanufacture

End of life manual availability [End of Life Information](#)

Take-back No

Technical Illustration

Dimensions

---




Image of product / Alternate images

Alternative

---




Image of product in real life situation

