

Factory Automation

Products

R16CPU

Automating the World

◀ CPU

▶ **CPU** ▶ Motion CPU ▶ Process CPU, Redundant Function ▶ Safety CPU ▶ C Controller



PLC iQ-R Series; Programmable controller CPU, 160K steps

[Visit our E-Shop](#) 

TECHNICAL INFORMATION	ADDITIONAL INFORMATION	ENVIRONMENTAL
------------------------------	-------------------------------	----------------------

DOWNLOADS



Series	MELSEC IQ-R SERIES
Type	STANDARD CPU
Program Memory	160K
Program Memory Unit	STEPS
Local I/O Points	4096
Local + Remote I/O Points	16384
Cycle Time LD (ns)	0,98
Cycle Time MOV (ns)	1,96
USB	1
Ethernet Port	1
Buffer Battery	YES
Int. Current Consumption (A)	0,67

Product Dimensions & Weight

Width (mm)	27,8
Height (mm)	98 (106)
Depth (mm)	110
Weight (kg)	0,2

Conformity



EAC	COMPLIANT
Shipping Approvals	ABS,BV,DNV GL,LR,NK,RINA
UKCA	COMPLIANT

Home > Products > Controllers > Programmable Controllers MELSEC > MELSEC iQ-R Series > CPU > CPU > **R16CPU**

Follow us



[Imprint](#) | [Cookies](#) | [Terms of use](#) | [Privacy Policy](#) | [Personal data inquiry form](#)

© Mitsubishi Electric Europe B.V.